SUPPLEMENT TO
THE
# MYSORE GAZETTE.
ಮೈಸೂರು ಗಜಿಟ್. ಸಪ್ಲಿಮೆಂಟ್.

Published by Authority.

BANGALORE, SATURDAY 6TH JULY 1867.

## MISCELLANEOUS PAPERS.

*REPORT ON THE EXPERIMENTAL CULTIVATION OF THE CHINCHONA PLANT ON THE BABABOODEN HILLS.*

*Extract from a letter from the Offg. Superintendent of the Nagur Division No.* 65—27 *dated* 11*th May* 1867.

1. With reference to your letter No. $^{71}/_{2}{}^{35}/_{67}$ of the 21st March, I have the honor to submit an extract from the Annual Report of the Deputy Superintendent of Cudoor, detailing the result of the operations during the past year, connected with the experimental cinchona plantation on the Bababoodens.

2. Captain Lindsay's report appears to supply almost all the information called for by the Commissioner, but I will add a few remarks from my own observations. The valley selected for the experiment, receives the drainage from the north faces of Kulhuthy, and terminates in a cascade, by which the water descends at once to the low country. From this latter point, the run of the valley is at first from E. N. E. to W. S. W. following the curve of the hill. Below the spot known as the old garden, the valley bifurcates, the two ravines which meet there thus nearly encircling the plateau on which the bungalow is built. Several minor valleys, formed by depression in the sides of the hills, lead into the main branches, and till the wood was cleared, which has been done, from the lowest point of the principal valley, to the head of that in front of the bungalow, there was a good deal of jungle and brushwood at the bottom, and for a short distance up the sides.

3. As the valleys wind round the hills there is a variety of aspects, and the depth affords shelter from the prevailing winds. The depth of the soil varies considerably, from a few inches of vegetable mould resting on rock, to 6 feet, composed partly of mould, and partly of decomposed and pulverized rock. I hope to obtain an analysis of its composition from Mr. Broughton, the Quinologist to the Madras Government.

4. The extent has been estimated by Mr. Porter at about 200 acres, including a detached hollow, filled with jungle, at a higher level on Kulhuthy, known as Halsteds wood, but as the estimate refers only to the extent of ground originally clothed with natural wood, the area actually available for planting is much larger, since it has been shown on the Neilgherries that cinchona will grow in the open, and in very poor soil.

5. The jungle has been wholly or partially cleared and burnt, from near the waterfall, to the head of the valley in front of the bungalow, and planting has been commenced in a minor valley leading into this, running N. N. W. and S. S. E; the majority of the cinchonas being planted on the bank facing to the N. E. as being most sheltered from the monsoon bursts.

6. Captain Lindsay's report gives details which it is unnecessary to recapitulate, and I concur with him in thinking the results of the experiment most encouraging, especially as regards the C. Succirubra, the plants of which are remarkably vigorous and healthy. The same observation has been made by Mr. Broughton, in para 3 of his report to the Madras Government of 1st April 1867, in which he-

remarks that of all the species yet naturalized in India, this exhibits the most vigorous growth. As noticed in para 4 of the same report, a marked difference is discernible in the appearance of individuals of the C. Succirubra, though botanists recognize but one variety of the red bark trees.

* * *

12. I trust that the Offg. Commissioner will consider the results of the past year satisfactory, as there seems to be little doubt of the plant thriving in situations similar to that in which the present experiment is conducted, of which probably many can be found on the heights of the Mulnaad. Mr. Mac Ivor's original suggestion was, that 500 acres should be taken up by Government, which may be done on the Bababoodens, but in addition to this, it would be highly advisable, to open experimental plantations on a small scale, at selected stations, in the Mulnaad Talooks of the Shimoga and Cudoor Districts.

13. These might be superintended by the Deputy Superintendents, or Forest Department as most convenient, and conducted at little cost. The C. Succirubra flourishes at such comparatively low altitudes, that its dissemination is of great importance, and the cultivation might be introduced experimentally, as soon as the plantation on the Bababoodens is in a position to furnish plants for distribution.

14. Should the Offg. Commissioner approve of the recommendation that a further supply of plants be obtained from the Government gardens at Ootacamund, I request that application may be made to the Madras Government for them free of charge, as was liberally conceded last year.

I have, &c.,
(Signed) A. C. HAY,
*Offg. Superintendent.*

---

*Extract from the Annual Report of the Deputy Superintendent of the Cudoor District No. 52 dated the 1st May 1867 for the year 1866-67.*

* * * *

*Cinchona.* Para: 145. On the 25th June 1866, the Superintendent, Government cinchona plantations at Ootacamund, despatched the plants noted in the *margin to Santawarry. The carts containing the plants arrived on the 24th July, and were planted out as soon as the weather was favorable. The ground selected for the experiment is on Kulhutty hill at an elevation of about 4,000 feet, in a tolerably well sheltered valley completely cleared of all wood and having a deep black vegetable loam for soil. A good many casualties took place among the plants on the journey to Santawarry, but those which arrived, though very small, had generally a very healthy appearance. The planting was completed by the 3rd September, and the number planted out is noted in the †margin; the are planted in pits, 2 feet square, at a distance of 6 feet apart. In December, some grubs attacked the plants and destroyed a few by cutting right through the stems, though in most cases where the plants were attacked not much harm was done, as the grubs contented themselves with feeding on the leaves. These pests were got rid of by hand picking. The most destructive grubs were found to be those of the common cockchafer and a sphinx moth. The plants were in the first instance protected by cylinder shaped bamboo baskets projecting about a foot from the ground. The C. Succirubra plants progressed so rapidly that in January many of them had outgrown the baskets, and it was found necessary to hedge each individual plant round with thorns to the height of about 3 feet, to protect them from the sambur, (*Antelope*) who had taken to pulling them up by the roots in their attempts to bite off the heads of the plants. In February the plants began to droop a little, it was therefore necessary to water as many as possible each day before the sun acquired much power, and during the heat of the day the work of fencing the plants was continued. In March the same work of watering and fencing was carried on.

| *No. of plants. |
|---|
| 2,070 of C. Succirubra. |
| 2,322 of C. Condaminea. |
| 44 of C. Calisaya. |
| 75 Tea plants. |

| †No. |
|---|
| 2,276 of C. Succirubra. |
| 1,251 of C. Condaminea. |
| 43 of C. Calisaya. |
| 75 of Tea plants. |

In the end of March the plants were counted, to discover the number which had died, or been otherwise destroyed, and the result is noted in the ‡margin.

| ‡No. |
|---|
| 2,003 of C. Succirubra. |
| 995 of C. Condaminea. |
| 27 of C. Calisaya. |
| 59 Tea plants. |

It will thus be seen, that during the seven months they have been planted out, the casualties among them have been

273 C. Succirubra
286 C. Condaminea
16 C. Calisaya
16 Tea Plants

The plants at present are in a most flourishing condition, and as far as it has gone, the experiment may be said to be a complete success. The Succirubra seems to answer better than the other kinds, as it grows much more luxuriantly and is evindently the hardiest, as the loss has been much less in proportion than that among the others. The plants having a north-east aspect, seem to thrive best. The propagating house is now under construction, and I hope it will be finished by the middle of May. Many of the plants are sufficiently advanced to yield cuttings, so the propagating house can be turned to advantage as soon as it is completed. I have had several applications for young plants from both European and native planters, but I do not suppose the requirements of the Government plantation will permit of any being distributed for at least another year. The plantation has been ably superintended by Mr. Ross Porter, who deserves every credit for its present success. Mr. Porter's well known energy and thorough knowledge of his business as a coffee planter, make him as efficient a person as can be found for superintending an experiment of this description, and Government is most fortunate in having secured his services.

* * * *

True Extract
(Signed) A. C. HAY,
*Offg. Supt. Nugur Division.*

---

General No. 1192. / General No. 29. } 1867—68. MYSORE COMR'S. OFFICE, *Bangalore 27th May* 1867.

*To*

*The Superiniendent of the Nugur Division.*

Sir,

1. With reference to your letter No. ⅝⅞ of the 11th Instant, with enclosures, submitting a report on the progress of the chinchona plantation at Kulhutty, I am desired by the Officiating Commissioner, to acknowledge with thanks the interesting account therein given, both by yourself and by Captain Lindsay, of the progress which has been made during the past year, and to express a hope that the work so satisfactorily commenced, will be carried on with a continuance of that success, which has hitherto been secured by the good management and attention bestowed upon it by the local authorities in conjunction with Mr. Ross Porter, the Superintendent of the Plantation.

2. The Offg. Commissioner concurs with you in considering that advantage would be gained, by establishing subsidiary plantations for experimental purposes, in selected localities of the Mulnaad country. These would ordinarily be placed under the direction of the revenue authorities, for the forest conservancy establishment, with its limited strength, could not well undertake the duty, but opportunity might be taken, I am to remark, to distribute plants to any coffee planters, European or native, residing in eligible localities, and who would be willing to rear them with care. 44

3. An application will be made to the Madras Government, as suggested, for a further supply of the cinchona plants from the Ootacamund garden.

I have, &c.,
(Signed) T. G. CLARKE,
*Offg. Secretary.*

---

## ಚಿಲ್ಲರೆ ವಿಷಯಗಳ ಕಾಗದ ಪತ್ರಗಳು.

ಬಾಬಾಬುಡ್ಡ ಬೆಟ್ಟದಲ್ಲಿ ಶಿಂಕೋನಾ ಯೆಂಬ ಕ್ವಿನಿರ್ಯತಿ ಗಡೇ ಆಗತಕ್ಕ ಗಿಡವನ್ನು ಅಜಮಾಯಿಷೀ ಬಗ್ಗೆ ಬೆಳೆಯಿಸಿದ ಸಂಗತಿಯ ರಿಪೋರ್ಟು.

ಸ್ಪ ೧೯೬೭ನೇ ಯಿಸವಿ ಮೇ ೧೧ನೇ ಮುರ್ತು ೬೫—೬೬ನೇ ನಂಬರುಳ್ಳ ನಗರ್ ಡಿವಿಜ್ ಆಫಿಷಿಯೇಟಿಂಗ್ ಸೂಪರ್ಡಿಟೆಂಡೆಂಟರವರು ಬರದ ಲೆಟ್ಟರಿನ ಸಂಗ್ರಹ.

೧. ಮಾರ್ಚಿ ೨೦ನೇ ಮುರ್ತು ೬೦೪—೭೦೫ನೇ ನಂಬರುಳ್ಳ ತಮ್ಮ ಲೆಟ್ಟರನ್ನು ಕುರಿತು ಬಾಬಾಬುಡ್ಡ ಬೆಟ್ಟದಲ್ಲಿ ಅಜಮಾಯಿಷಿಯ ಬಗ್ಗೆ ಶಿಂಕೋನಾಗಿಡವನ್ನು ಬೆಳೆಯಿಸುವ ವಿಷಯದಲ್ಲಿ ಕಳೆದ ಯಿಸವಿಯೊಳಗೆ ನಡದ ಕೆಲಸಗಳ ಫಲವನ್ನು ವಿವರಿಸಿ ಕಡೂರು ಡಿಸ್ಟ್ರಿಕ್ಟ್ ಡಿಪ್ಯೂಟಿ ಸೂಪರ್ಡಿಟೆಂಡೆಂಟರವರು ಬರದ ಆನ್ಯುಯಲ್ ರಿಪೋರ್ಟಿನ ಸಂಗ್ರಹವನ್ನು ಶ್ರುತಪಡಿಸುತ್ತೇನೆ.

೨. ಕೆಪ್ಟನ್ ಲಿಂಡಸೇಸಾಹೆಬರವರ ರಿಪೋರ್ಟಿನಿಂದ ಕಮ್ಮಿ ಷನರವರು ಅಪೇಕ್ಷಿಸಿದ ಸಂಗತಿಗಳೆಲ್ಲವೂ ತಿಳಿಯ ಬರುವಂತೆ ಕಾಣುತ್ತದೆ. ಆದರೆ ನನಿಗೆ ತಿಳಿಯ ಬಂದ ಕೆಲವು ಸಂಗತಿಗಳನ್ನು ಶ್ರುತ ಪಡಿಸುತ್ತೇನೆ, ಸದರೀ ಅಜಮಾಯಿಷಿಯ ವಿಷ್ಯ ಡಿಸಲ್ಪಟ್ಟ ಬೆಟ್ಟದ ಕಿಬ್ಬಿನಲ್ಲಿ ಕಲ್ಲಹತ್ತಿ ಉತ್ತರ ಮುಖದಿಂದ ನೀರು ಹರಿದು ಅದರ ಕೊನೇ ಬಾಗ ವೊಂದು ಬೆಟ್ಟದ ಜರಿಯಾಗಿದೆ. ಆದ್ದರಿಂದ ಕೆಳಗಿನ ಪ್ರದೇಶದಲ್ಲಿ ನೀರು ಜರಿಯುತ್ತದೆ. ಸದರೀ ಜರೀಇಂದ ಕಿಬ್ಬಿಯೂ ಪೂರ್ವ ಯಿಶಾನ್ಯ ಪ್ರಾಂತ್ಯ ಪೊದಲುಗೊಂಡು ಪಶ್ಚಿಮ ವಾರುಣ ದಿಕ್ಕು ವರಿಗೂ ಬೆಟ್ಟವನ್ನು ಬಳಸಿಕೊಂಡಿರುತ್ತದೆ ಆನ್ಥಳಕ್ಕೆ ಕೆಳಗಡೆ. ಹಳೇ ತೋಟ ವೆಂಬ ಸ್ಥಳದಲ್ಲಿ ಕಿಬ್ಬಿಯೂ ಯಿರಡು ಭಾಗವಾಗಿದೆ ಈ ಯಿರಡು ಭಾಗಗಳನ್ನೂ ಬಹುಶಃ ಸಂಬಂಧ ಪಡಿಸುವ ಕಣುವೆಗಳು ದಿಣ್ಣೆಯ ಪ್ರದೇಶವನ್ನು ಬಳಸಿಕೊಂಡಿವೆ, ಈ ದಿಣ್ಣೆಯ ಮೇಲೆ ಬಂಗಲೇ ಕಟ್ಟಲ್ಪಟ್ಟಿರುತ್ತೆ, ಬೆಟ್ಟಗಳ ಪಾರ್ಶ್ವಗಳಲ್ಲಿ ತಗ್ಗಾ

ಗಿರುವದರಿಂದ ಯೇರ್ಪಡಪಟ್ಟ ಕೆಲವು ಸಣ್ಣ ಸಣ್ಣ ಕಬ್ಬಿಗಳು ಮುಖ್ಯ ಕಬ್ಬಿಗಳಿಗೆ ಸಂಬಂಧಿಸಿಯಿವೆ, ಮುಖ್ಯವಾದ ಕಬ್ಬಿಯ ಕೆಳಗಿನ ಪ್ರದೇಶದಿಂದ ಸದರೀ ಬಂಗಲೆಯು ಯಿದುರಾಗಿ ಆಕಬ್ಬಿಯ ಮೇಲ್ ಗಡೆ ಪಶ್ಚಿಮಕ್ಕೆ ಕಾಡು ಕಡಿಯುವ ಪರ್ಯಂತ ತಗ್ಗದಲ್ಲಿಯೂ, ಮಾಳ್ವ ಭಾಗಗಳಲ್ಲಿ ಸಲ್ಪ ದೂರದ ವರಿಗೂ ಕಾಡು ಸಣ್ಣ ಗಿಡಗಳು ಬಹಳ ಯಿವೆ.

೩. ಕಬ್ಬಿಗಳು ಬೆಟ್ಟಗಳನ್ನು ಬಳಸಿಕೊಂಡಿರುವದರಿಂದ ಅವುಗಳು ನಾನಾ ದಿಕ್ಕುಗಳಿಗೆ ವ್ಯಾಪಿಸಿವೆ, ಅಲ್ಲಿ ಪ್ರಬಲವಾಗಿರುವ ಗಾಳಿಗೆ ಹಳ್ಳವಾಸಿಯಾಗಿರುವ ಪ್ರದೇಶ ಆಸರೆಯಾಗಿದೆ. ಭೂಮಿಯು ತಗ್ಗು ಬಹಳ ಮಟ್ಟಿಗೆ ಬೆಚ್ಚು ಕಡಿಮೆಯಾಗಿರುತ್ತದೆ ಕಲ್ಲಿನಮೇಲಿರುವ ಮಣ್ಣು ಕೆಲವಂಗುಲಗಳ ಮೊದಲು ಅರು ಅಡಿಗಳ ವರಿಗೆ ಮಣ್ಣು ಮಿಶ್ರವಾಗಿಯೂ, ಪುಡಿಯಾಗಿಯೂ, ಯಿರುವ ಕಲ್ಲು ಕೇರಿ ಯಿರುತ್ತೆ, ಮದರಾಸ್ ಗವರ್ನಮೆಂಟಿನ ಕ್ವಿನಾಯೊಜಿಸ್ಟ್ ಯೆಂಬ ಕ್ವಿನಿರ್ಯತಕ್ಷಾರಾದ ಮಸ್ಟರ್ ಬ್ಯಾರ್ಟ್ ಯೆಂಬವರ ದೆಸೆಯಿಂದ ಸದರೀ ಮಣ್ಣು ಸೊಡೆನೆ ಸೇರಿರುವ ವಸ್ತುಗಳನ್ನು ಪರೀಕ್ಷೆ ಗೊಳಿಸಬೇಕೆಂದು ಕೋರುತ್ತೇನೆ.

೪. ಹಾಲ್ಸ್ಟೆಡ್‌ನ ಕಾಣಿಂಬು, ಕಲ್ಲುಹತ್ತಿಯ ಮೇಲಣ ಪ್ರದೇಶದಲ್ಲಿ ಕಾಡು ಮುಚ್ಚಿಯಿರುವ ಬೇರೆಯಾಗಿರುವ ಯೊಂದು ಹಳ್ಳ ಸಹಿತವಾಗಿ ಮೆಸ್ಸರ್ ಪೋರ್ಬ್ ಸಾಹೇಬರವರು ಆಂದಾಜ್ ಹಾಕಿದ ವಿಸ್ತಾರ ಫನೂರು ಎಂಬ ಯೆಕ್ಕಾಗಳಿಕ್ಕೆತ್ತು, ಆದರೆ, ಈ ಅಂದಾಜು ಮೊದಲು ತನ್ನಿಚ್ಛೆಯಾಗಿ ಬೆಳೆದಿದ್ದ ಕಾಡಿನಿಂದ ಮುಚ್ಚಲ್ಪಟ್ಟಿದ್ದ ಭೂಮಿಯ ವಿಸ್ತಾರಕ್ಕೆ ಮಾತ್ರ ಸೇರಿದ್ದಾಗಿರುವದರಿಂದ ಈಗ ಗಿಡಾ ಹಾಕುವದಕ್ಕೆ ಅನುಕೂಲಿಸಿರುವ ಭೂಮಿ ಯಿನ್ನೂ ವಿಸ್ತಾರವಾಗಿದೆ, ನೀಲಗಿರಿ ಮೇಲೆ ಬೆಳೆಯಿಸಲ್ಪಟ್ಟಿರುವದರಿಂದ ಶಿಂಕೋನಾ ಗಿಡ ಬೈಲಾಗಿಯೂ, ಬಹಳ ಬೀಳಾಗಿಯೂ ಯಿರುವ ಭೂಮಿಯಲ್ಲಿ ಬೆಳೆಯುವದು.

೫. ಗುಡ್ಡ ಪಹರಿಯ ಸಮೀಪ ಪ್ರದೇಶದಿಂದ ಬಂಗಳಿ ಮುಂದುಗಡೆ ಕಿಬ್ಬಿಯ ಮೊದಲುವರಿಗೆ ಕಾತೆಲ್ಲವೂ ಅಥವಾ ಯೊಂದು ಭಾಗ ಕಡಿಯಲ್ಪಟ್ಟು ಸುಡಲ್ಪಟ್ಟಿತು, ಮತ್ತು ಈ ಪ್ರದೇಶಕ್ಕೆ ಸೇರುವ ಉತ್ತರದಿಂದ ವಾಯವ್ಯಕ್ಕೂ ದಕ್ಷಿಣದಿಂದ ಆಗ್ನೇಯಕ್ಕೂ ವ್ಯಾಪಿಸುವ ಯೊಂದು ಸಣ್ಣ ಕಿಬ್ಬಿಯಲ್ಲಿ ಗಿಡ ಹಾಕುವದಕ್ಕೆ ಪುರುವಾಯಿತು, ಶಿಂಕೋನಾ ಗಿಡಗಳ ಪೈಕಿ ಬಹಳ ಮಟ್ಟಿಗೆ ಆಗ್ನೇಯ ದಿಕ್ಕಿಗೆ ಯಿದುರಾಗಿರುವ ಪಡಮಳಿಗಾಲದ ವೇಗಕ್ಕೆ ಬಹಳವಾಗಿರುವದರಿಂದ ಅಲ್ಲಿಯೇ ಬಹಳ ಮಟ್ಟಿಗೆ ಶಿಂಕೋನಾ ಗಿಡಗಳು ಹಾಕಲ್ಪಟ್ಟಿರುತ್ತವೆ.

೬. ಕೆವ್ಯಂ ಲಿಂಡ್‌ಸೇಯವರ ರಿಪೋರ್ಟಿನಲ್ಲಿರುವ ತಸೀಲ್‌ಗಳು ಅನುವದಿಸುವದಕ್ಕೆ ಅನಾವಶ್ಯಕಗಳಾಗಿರುತ್ತವೆ, ಅಜಮಾಯಿಷಿ ಮಾಡಿದ್ದರ ಫಲವು ಬಹಳ ಪ್ರೋತ್ಸಾಹ ಕರವೆಂತಲೂ, ಮುಖ್ಯವಾಗಿ ಬಹಳ ಬಲವಾಗಿಯೂ, ಬಹಳ ಗೋವಾಗಿಯೂ, ಯಿರುವ ಶಿಂಕೋನಾ ಸಕ್ಕಸಿರೂ ಬ್ಯಾಯೆಂಬ ಗಿಡದ ವಿಷಯದಲ್ಲಿ ಪ್ರೋತ್ಸಾಹ ಕರವಾಗಿಯೂ, ಯಿರುತ್ತೆಂದು ಅವರು ಆಲೋಚಿಸುವದು ನನಿಗೆ ಸಮ್ಮತವೆ, ಮೆಸ್ಸರ್ ಬ್ಯಾರ್ಟ್ ಯೆಂಬವರು ಸೆಪ್ಟೆಂಬರ್ ೧೮೬೭ನೇ ಯಿಸವಿ ಏಪ್ರೀಲ್ ಗುರ್ತೀ ತಾರೀಕಿನಲ್ಲಿ ಮದರಾಸ್ ಗವರ್ನಮೆಂಟ್‌ಗೆ ಬರದ ರಿಪೋರ್ಟಿನ ೪ನೇ ಕಲಮಿನಲ್ಲಿ ಹೀಗೆಯೇ ಹೇಳಿರುತ್ತಾರೆ ಆದರಲ್ಲಿ ಅವರು ತಿಳಿಸುವದೇನೆಂದರೆ, ಇಂಡ್ಯದೇಶದಲ್ಲಿ ಯಿದುವರಿಗೆ ಬೆಳೆಯಿಸಲ್ಪಟ್ಟಿರುವ ಯೆಲ್ಲಾ ಜಾತಿಗಳ ಪೈಕಿ ಈ ಜಾತಿ ಬಹಳ ಬಲವಾಗಿ ಬೆಳೆದಿರುತ್ತದೆ, ಅದೇ ರಿಪೋರ್ಟಿನ ೪ನೇ ಕಲಮಿನಲ್ಲಿ ಕೂಂಡ ಪ್ರಸಾರ ಮಾಡಿದ ಕಾಫಿ ತೋಟದ ಕಾಸ್ತ್ರಜ್ಞರು ಕೆಂಪು ತಿಗಡೆಯು ಮರಗಳ ಪೈಕಿ ಪ್ರೌಢ ಜಾತಿಯಂದು ಪ್ರೊಫೆಸ್ಸರ್ ಕೊಂಡಾಗ್ಯೂ ಶಿಂಕೋನಾ ಸರ್ಸಿ ಬಾಬ್ಕಾ ಪೈಕಿ ಯೊಂದೊಂದು ಗಿಡದ ರೂಪು ಪ್ರತ್ಯೇಕ ಪ್ರತ್ಯೇಕ ಗಿರುತ್ತದೆ.

೯. ಯಾವ ಸ್ಥಳದಲ್ಲಿ ಪ್ರಕೃತ ಅಜಮಾಯಿಷಿ ಮಾಡಲ್ಪಟ್ಟಿತೋ ಅದಕ್ಕೆ ಸಮಾನಗಳಾದ ಸ್ಥಳಗಳಲ್ಲಿ ಗಿಡಗಳು ಚೆನ್ನಾಗಿ ಬೆಳೆಯುವದಕ್ಕೆ ನೂ ಸಂದೇಹ ಕಾಣುವದಿಲ್ಲವಾಗಿ ಕಳೆದ ಸಂವತ್ಸರದಲ್ಲಿ ಪೌಂಟಾದ ಫಲ ತೃಪ್ತಿಕರವೆಂದು ಅಫಿಸಿಯೇಟಿಂಗ್ ಕಮ್ಮಿಷನರವರು ಭಾವಿಸುವರೆಂದು ತೋರುತ್ತೇನೆ. ಅವುಗಳ ಪೈಕಿ ಬಹುಶಃ ಅನೇಕವುಲನಾತು ೯೦೦ ಯು ಬೆಟ್ಟಗಳ ಮೇಲೆ ಭಾಗಗಳಲ್ಲಿರುತ್ತವೆ. ಮೆಸ್ಸರ್ ಮೆಕ್ಕ್ಲ್ಯಾ ಯೆಂಬವರು ಮೊದಲು ತಿಳಿಸಿದ್ದೇನಂದರೆ, ಗವರ್ನಮೆಂಟಿನವರು ೫೦೦ ಯೆಕ್ರಾ ಜಮೀನನ್ನು ತೆಗದು ಕೊಳ್ಳಬೇಕು, ಈ ಜಮೀನನ್ನು ಬಾಬಾ ಬುರ್ಡಗಿರಿ ಮೇಲೆ ತೆಗದು ಕೊಳ್ಳಬಹುದು. ಆದರೆ ಯಿದು ಶಿವಾಯಿ ಶಿವಪೊಗ್ಗಾ, ಕಡೂರು, ಈ ಡಿಸ್ಟ್ರಿಕ್ಟ್‌ಗಳ ಮಲೆನಾಡು ತಾಲ್ಲೂಕುಗಳಲ್ಲಿ ವಿಂಗಡಿಸಲ್ಪಟ್ಟ ಜಾಗಾವರೆ ಸ್ವಲ್ಪವಾಗಿ ಅಜಮಾಯಿಷೀ ಗೋಸ್ಕರ ಗಿಡ ಹಾಕುವದಕ್ಕೆ ಪುರು ಮಾಡುವದು ಬಹಳ ಯುಕ್ತವಾಗಿರುವದು ಯೆಂಬದು.

೧೨. ಈ ಗಿಡಗಳನ್ನು ದಿಸ್ಪೆಸ್ ಸೂಪರ್‌ಇಂಟೆಂಡೆಂಟರಾಗಲಿ, ಫಾರೆಸ್ಟ್ ಇಲಾಖೆಯವರಾಗಲಿ, ಕೇವಲ ಅನುಕೂಲವಾಗಿಯೂ, ವಿಶೇಷ ಖರ್ಚಿಲ್ಲದೆಯೂ ಮೇಲ್ ವಿಚಾರಣೇ ಮಾತ್ರ ಬಹುದು, ಶಿಂಕೋನಾ ಸರ್ಸಿ ರೂಬ್ಯಾಯೆಂಬ ಜಾತಿಯ ಗಿಡ ಬಹಳ ತಗ್ಗಾದ ಸ್ಥಿತಿಯಲ್ಲಿ ಬೆಳೆಯುವದರಿಂದ ಅದರ ಬೀಜಗಳ ವ್ಯಾಪಕ ಶಕ್ತಿಯೂ ಬಹಳ ಮುಖ್ಯವಾಗಿರುತ್ತೆ, ಮತ್ತು ಬಾಬಾ ಬುರ್ಡಬೆಟ್ಟಗಳಮೇಶೆ ಯಿರುವ ಗಿಡಗಳು ಮಿತರ ಸ್ಥಳಗಳಲ್ಲಿ ಗಿಡ ಹಾಕುವದಕ್ಕೆ ಕೊಡುವದಕ್ಕೆ ತಕ್ಕ ಪ್ರಮಾಣಕ್ಕೆ ಬಂದ ಕೂಡ್ಲೇ ಅಜಮಾಯಿಷೀಗೆ ಬಗ್ಗೆ ಗಿಡ ಹಾಕಬಹುದು.

೧೩. ನೀಲಗಿರಿಯಲ್ಲಿನ ಗವರ್ನಮೆಂಟಿನ ತೋಟದಿಂದ ಯಿನ್ನೂ ಕೆಲವು ಗಿಡಗಳು ತರಿಸಬೇಕೆಂದು ತಿಳಿಸಿದ ಅಂಕವನ್ನೂ ಅಫಿಸಿಯೇಟಿಂಗ್ ಕಮ್ಮಿಷನರ ಸರ ಅಂಗೀಕರಿಸುವದಕ್ಕೆ ಕಳೆದ ಯಿಸವಿಯಲ್ಲಿ ಧಾರಾಳವಾಗಿ ಕೊಟ್ಟಿಂಕೆಯೇ ಚಾಜ್ಜು ತೆಗದು ಕೊಳ್ಳದೇ ಸುಮ್ಮನೆ ಕೊಡುವದೆಂದು ಮದರಾಸ್ ಗವರ್ನಮೆಂಟಿಗೆ ಬರದು ಕೊಳ್ಳಬಹುದು ಕೋರುತ್ತೇನೆ.

A. C. HAY,
*Offg. Superintendent.*

---

೧೮೬೭ನೇ ಇಸವೀಗಾಗಿ ಕೂರು ಡಿಸ್ಟ್ರಿಕ್ಟ್ ಡಿವ್ಯೂಟಿ ಸೂಪರ್‌ಇಂಟೆಂಡೆಂಟರವರ ೧೮೬೮ನೇ ಮೇ ೧೫ನೇ ಮತ್ತು ೩೧ನೇ ನಂಬರ್‌ನಿಂದ ತೆಗದು ಜರ್ಜು.

* * * * *

ಶಿಂಕೋನಾ. ೧೮೬೩ನೇ ಕಲಂ ೧೮೬೪ನೇ ಜೂನ್ ೩೦ನೇ ತಾರೀಕಿನಲ್ಲಿ ನೀಲಗಿರಿಯಲ್ಲಿ ಯೂ ಗವರ್ನಮೆಂಟ್ ಶಿಂಕೋನಾ

ತೋಟದ ಸೂಪರ್‌ಟೆಂಡೆಂಟ್ರವರು ಈ ಮಾರ್ಚಿನಲ್ಲಿ ನಮೂದಿಸುವ ಗಿಡಗಳನ್ನು ಸಂತವೇರೀಗೆ ಕಳುಹಿಸಿದರು; ಗಿಡಗಳು ಹಾಕಿ ಕಳುಹಿಸಿದ ಬಂಡಿಗಳು ಜುಲೈ ೨೫ರಲ್ಲು ಬಂದವು. ಹವಾ ಅನುಕೂಲವಾದ ಕೂಡ್ಲೆ ಅವುಗಳು ನಾಟಲ್ಪಟ್ಟವು. ಅಜವಾಯಿಷೀ ಬಗ್ಯೆ ಕಲ್ಲಹತ್ತಿ ಬೆಟ್ಟದ ಮೇಲೆ ೪೮೦೦ ಆಡಿಗಳ ಯೆತ್ತರದಲ್ಲಿ ಸ್ಥಳ ಕಟ್ಟಲ್ಪಟ್ಟಿರುತ್ತೆ. ಆ ಸ್ಥಳ ಇದ್ದ ಮಟ್ಟಿಗೆ ಚನ್ನಾಗಿ ಸಂರಕ್ಷಕವಾಗಿರುವ ಕಿಬರಿಯಲ್ಲಿ ಕುದ್ದವಾಗಿ ಕಾಡು ಕಡಿದು ಪರಿಷ್ಕರಿಸಿ ಇರುತ್ತೆ. ಆ ಸ್ಥಳ್ಳದಲ್ಲಿ ಬಡಳ ಕಪ್ಪಾದ ಮಣ್ಣು ಇರುತ್ತೆ. ಗಿಡಗಳು ಸಂತವೆರೀಗೆ ಬರುವಷ್ಟರಲ್ಲಿ ಮಾರ್ಗದೊಳಗೆ ಬಹಳ ಗಿಡಗಳು ಮಣಿಗಿ ಹೋದವು. ಬಂದು ತಲಪಿದ ಗಿಡಗಳು ಬಹಳ ಸ್ವಲ್ಪವಾದಾಗ್ಯೂ ಬಹುಕಃ ಬಹಳ ಗೋಮಾಗಿ ಯಿತ್ತು. ಸೆಪಟಂಬರ್ ೩ ಳಗಾಗಿ ಗಿಡಗಳು ಹಾಕಿ ಪೂರೈಸಿತು ಹಾಕಿದ ಗಿಡಗಳ ಸಂಖೆ ಈ ಮಾರ್ಜಿನಲ್ಲಿ ನಮೂದಿಸಿ ಇರುತ್ತೆ. ಅವುಗಳು ೨

| ಸಂಖ್ಯೆ. | |
|---|---|
| ಸಿಂಕೋನಾ ಸಕ್ಸೀರುಬ್ರಾ ಗಿಡ. | 2276 |
| ಸಿಂಕಾಂಡಿಮಿನಿಯ. | 1251 |
| ಸಿಂಕಾಲಿಸೇಯ. .. | 43 |
| ಟೀ ಗಿಡಗಳು... .. | 75 |

ಅಡಿಗಳ ಚವರ ವಿದ್ದ ಹಳ್ಳಗಳಲ್ಲಿ ೩೩ ಅಡಿ ದೂರಕ್ಕೆ ಯೊಂದರ ಮೇರೆ ನೆಡಲ್ಪಟ್ಟಿತು. ಡಿಸಂಬರ್ ತಿಂಗಳ್ಳಲ್ಲಿ ಗಿಡಗಳಿಗೆ ಹುಳ ಹಗಲಿ ಆ ಪೈಕಿ ಹುಳಗಳು ಯಿಲಿಗಳನ್ನು ತಿನ್ನುತ್ತಾ ತೃಪ್ತಿ ಪಟ್ಟದ್ದರಿಂದ ಅನೇಕ ಗಿಡ ಬಹಳ ಹಲಾಕಾಗದೇ ಇದ್ದಾಗ್ಯೂ ಕೆಲವು ಗಿಡಗಳು ಕಾಂಡಗಳ ಮಧ್ಯೆ ಕತ್ತರಿಸಿ ಹೋದವು. ಈ ಹುಳಗಳನ್ನು ಕೈಯಿಂದ ತೆಗದು ಹಾಕಲು ಬಾಧೆ ನಿವೃತ್ತಿಯಾಯಿತು. ಕಾಕ್‌ಚಾಪುರ್ ಮತ್ತು ಫಿರ್‌ಮಾತ್ ಈ ಜಾತಿ ಹುಳಗಳು ಬಹಳ ನಾಶಕರವಾಗಿರುತ್ತೆ, ಪ್ರಥಮತಃ ದೋಣಿಯಂತೆ ಭೂಮಿಯಿಂದ ಷುಮಾರು ೧ ಅಡಿ ಹೊರಟಿರುವ ಬಿದುರು ಬುಟ್ಟಿಗಳ ಬೆಸೆಯಿಂದ ಗಿಡಗಳು ರಕ್ಷಿಸಲ್ಪಟ್ಟವು. ಸಿಂಕೋನಾ ಸಕ್ಸೀರುಬ್ರಾ ಗಿಡಗಳು ಬಹಳ ತ್ವರೆಯಾಗಿ ವೃದ್ಧಿಗೆ ಬಂತು. ಹ್ಯಾಗಂದರೆ ಜನವರಿ ತಿಂಗಳಲ್ಲಿ ಅವುಗಳ ಪೈಕಿ ಅನೇಕ ಸದರೀ ಬುಟ್ಟಿಗೆ ಮೇಲೆ ಬೆಳೆಯಿತು ಆಗ ದುಪ್ಪಿಗಳು ಗಿಡಗಳ ಕುಡಿಗಳನ್ನು ಮೇಯುವದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುವಾಗ ಬೇರೊಡನೆ ಕಿತ್ತು ಹಾಕದೇ ಸಂರಕ್ಷಿಸುವ ಬಗ್ಯೆ ಪ್ರತಿ ಗಿಡಕ್ಕೂ ಸುತ್ತುಲು ಮುಳ್ಳುಗಳಿಂದ ೩ ಅಡಿ ಯೆತ್ತರಕ್ಕೆ ಬೇಲಿ ಕಟ್ಟಬೇಕಾಯಿತು. ಫಿಬ್ರವರಿ ತಿಂಗಳಲ್ಲಿ ಗಿಡಗಳು ಸ್ವಲ್ಪ ಬಾಡುತ್ತಾ ಬಂತಾಗಿ ಕಳ್ಯವಾದಷ್ಟು ಗಿಡಗಳಿಗೆ ನಿತ್ಯವೂ ಬಿಸಲು ಬಲವಾಗುವದಕ್ಕೆ ಮುಂದಾಗಿಯೇ ನೀರು ಹುಯ್ಯು ಬೇಕಾಯಿತು ಬಿಸಲು ಹೊತ್ತಿನಲ್ಲಿ ಬೇಲಿ ಕಟ್ಟುವ ಕೆಲಸ ನಡಿಯಿತು. ಮಾರ್ಚಿ ತಿಂಗಳಲ್ಲಿ ಬದಸ್ತೂರ್ ನೀರು ಹುಯ್ಯುತ್ತಾ ಬೇಲೀ ಕಟ್ಟುವ ಕೆಲಸ ನಡೆಯಿತು.

ಸಂಖ್ಯೆ ಮಾರ್ಚಿ ಅಖೈರ್‌ನಲ್ಲಿ ಬೆಳೆ
ಯುದೇ ವಣಗಿ ಹೋದ್ದು ಯೆ
ರುಬ್ರಾ. ಷ್ಟೋ ಬೇರೆ ಕಾರಣದಿಂದ ಹ
ಸಿಂಕೋನಾ ಕಾಂಡೇ ಲಾಕಾದ್ದು ಯೆಷ್ಟೋ ನೋಡತ
ಮಿನಿಯ. ಕ್ಕ ಬಗ್ಯೆ ಮಾರ್ಚಿ ಅಖೈರ್‌ನಲ್ಲಿ
ಸಿಂಕೋನಾ ಕಾಲಿಸೇ ಲೆಕ್ಕ ಮಾಡುವಲ್ಲಿ ಈ ಮೂ
ಯ. ರ್ಜನಲ್ಲಿ ನಮೂದಿರುವ ಪ್ರ
ಟೀ ಗಿಡಗಳು. ಕಾರ ತಿಳಿಯಬರುತ್ತೆ.

ಗಿಡಗಳು ಹಾಕಿದ ೩ ತಿಂಗಳು ಕಾಲವಲ್ಲಿ ಗಿಡಗಳು ಬೆಳೆಯದೆ ಮೊಣಗಿ ಹೋದಂಥಾವೆಷ್ಟೆಂದರೆ,

೨೭೩ ಸಿಂಕೋನಾ ಸಕ್ಸೀರುಬ್ರಾ,
೩೪೬ ಸಿಂಕೋನಾ ಕಾಂಡೇಮಿನಿಯ,
೧೬ ಸಿಂಕೋನಾ ಕಾಲಿಸ್ಸೇಯ,
೧೬ ಟೀ ಗಿಡಗಳು.

ಪ್ರಕೃತದಲ್ಲಿ ಗಿಡಗಳು ವಳ್ಳೇ ವೃದ್ಧಿಕರವಾದ ಸ್ಥಿತಿಯಲ್ಲಿವೆ. ಈಗ ಅಜವಾಯಿಷಿ ಮಾಡಿರುವ ಮಟ್ಟಿಗೆ ನೋಡಿದರೆ ಸಂಪೂರ್ಣ ಫಲವತ್ತೆಂದು ಹೇಳ ಬಹುದು ಸಕ್ಸೀರುಬ್ರಾ ಗಿಡಗಳು ಯಿತರ ಜಾತಿ ಗಿಡಗಳಿಗಿಂತ ಚನ್ನಾಗಿ ಯಿರುತ್ತೆ. ಯಾತಕ್ಕಂದರೆ, ಆ ಜಾತಿ ಬಹಳ ಗೋಮಾಗಿ ಬೆಳೆಯುವದಲ್ಲದೆ ಕಷ್ಟಕ್ಕೆ ತಾಳತಕ್ಕದ್ದಾಗಿಯೂ, ಯಿತರ ಜಾತಿ ಗಿಡಗಳಲ್ಲಿ ನಷ್ಟವಾದವುಗಳಿಂದ ಕಮ್ಮಿಯಾಗಿ ಈ ಜಾತಿಯಲ್ಲಿ ನಷ್ಟಪಟ್ಟಿರುತ್ತವೆ. ಈಶಾನ್ಯ ದಿಕ್ಕಿನ ಗಾಳಿಗೆ ಯೆದುರಾದ ಪ್ರದೇಶದಲ್ಲಿರುವ ಗಿಡಗಳು ಯಲ್ಲಕ್ಕಿಂತ ಚನ್ನಾಗಿ ವೃದ್ಧಿಯಾಗುತ್ತವೆ. ಈ ಗಿಡಗಳ ಬೀಜದ ಸೊಸಗಳನ್ನು ಕಾಪಾಡುವ ಬಗ್ಯೆ ವೊಂದು ಮನೆ ಕಟ್ಟಲ್ಪಡುತ್ತದೆ. ಇದು ಮೇ ತಿಂಗಳು ಮಧ್ಯ ಭಾಗದಲ್ಲಿ ಪೂರೈಸುವದೆಂದು ಕೋರುತ್ತೇನೆ. ಆ ಮನೆ ಪೂರೈಸಿದ ಕೂಡ್ಲೆ ವುಪಯೋಗಿಸಲ್ಪಡುವ ಬಗ್ಯೆ ಅನೇಕ ಗಿಡಗಳು ಕೊಂಬೆಗಳು ಕುಯ್ಯಿವದಕ್ಕೆ ಸಾಕಾವ ಮಟ್ಟಿಗೆ ಬೆಳೆದಿವೆ. ಯೂರೋಪಿಯರ್ ಮತ್ತು ನೇಟಿವ್ ಪೈರುದಾರ್ರು ಅನೇಕರು ಸಸಿಗಳ ಬಗ್ಯೆ ನನಗೆ ಬರದು ಕೊಂಡಿದ್ದಾರೆ. ಅದರೆ ಗವರ್ಮೆಂಟ್ ತೋಟಕ್ಕೆ ನೇ ಸಾಲದ್ದರಿಂದ ಅಥವು ಪಕ್ಷ ಯಿನ್ನೂ ವೆಂದು ವರುಷದೊಳಗಾಗಿ ಅಪೇಕ್ಷಿಸ ತಕ್ಕವರಿಗೆ ಸೊಸಿಗಳು ಕೊಡಬಹುದಾಗಿ ತೋರಲಿಲ್ಲವು. ಮೇಸ್ಟರ್ ರಾಸ್ ಪೋರ್ಟ್ ಯೆಂಬವರು ಬಹಳ ಚನ್ನಾಗಿ ತೋಟವನ್ನು ವಿಚಾರಣೆ ತೆಗದುಕ್ಕೊಂಡಿರುತ್ತಾರೆ, ಅವರಿಂದಲೇ ಈ ತೋಟ ಯಿಷ್ಟು ಅಭಿವೃದ್ಧಿಗೆ ಬಂದಿರುತ್ತೆ ಕಾಫೀ ಪೈರುದಾರ್ರಾದ ಮೇಸ್ಟರ್ ಪೋರ್ಟರ್ ಸಾಹೆಬರ ಸಾಮರ್ಥ್ಯದಿಂದಲೂ ಕೆಲಸದ ಮೂಹೆತಿಯಿಂದಲೂ ಇಂಥಾ ಅಜಮಾಯಿಷಿ ಕೆಲಸವನ್ನು ವಿಚಾರಣೆಮಾಡುವ ಬಗ್ಯೆ ಅರ್ಹರಾಗಿರುತ್ತಾರೆ. ಗವರ್ಮೆಂಟಿನವರು ಅವ್ಯವಹಾರ ಅವರನ್ನು ನವುಕರಿಯಲ್ಲಿಟ್ಟು ಕೊಳ್ಳೋಣಾಯಿತು.

* * * *

(Signed) A. C. HAY,
*Offg. Superintendent,*
*Nugur Division.*

ಜನರಲ್ ನಂ. ೧೦೯೨ } ೧೮೬೭-೬೮.
ಜನರಲ್ ನಂ. ೨೯ }

ಮೈಸೂರು ಕಮ್ಮಿಷನರ್ ಕಚ್ಚೇರಿ,
ಬೆಂಗಳೂರು, ೨೩ನೇ ಮೇ ೧೮೬೭.

ನಗರ್ ಡಿವಿಜನ್ ಸೂಪರಿಂಟೆಂಡೆಂಟರವರಿಗೆ.

೧. ಕಲ್ಹತ್ತಿ ಬೆಟ್ಟವಲ್ಲಿ ಸಿಂಕೋನಾ ಗಿಡಗಳನ್ನು ಪೈರಿಟ್ಟ ಸಂಗತಿಯಲ್ಲಿ ಮಾಡಲ್ಪಟ್ಟ ರಿಪೋರ್ಟ್ಗೆ ಮಲಪ್ಪಹನಿನೀ ಮಾಜೇ ಮಜಕೂರು ಎಂನೇ ಮರಕುಂ ೬೫೬—೨೩ನೇ ನಂಬರ್ ಲೆಟರಿನ ವಿಷಯದಲ್ಲಿ ಕಳೆದ ಸಂವತ್ಸರದಲ್ಲಿ ಆದ ಅಭಿವೃದ್ಧಿಯನ್ನು ಕುರಿತು ನೀವೂ ಕೇಪ್ಟ್ ವಿಂಡೆನೇ ಸಾಹೆಬರು ತಿಳಿಸಿದ ಸ್ವಾರಸ್ಯವಾದ ಸಂಗತಿಯನ್ನು ಅಂಗೀಕರಿಸುವಂತೆಯೂ ಯಿಷ್ಟು ಚನ್ನಾಗಿ ಆರಂಭಿಸಲ್ಪಟ್ಟ ಕೆಲಸವು ಯಿಹುವರಿಗೆ ಹ್ಯಾಗೆ ನಡೆಯಿತೋ ಹಾಗೆಯೇ ಮುಂದೆಯೂ ಸ್ಥಳದ ಅಧಿಕಾರಿಗಳು ತೋಟದ ವಿಚಾರಣೆ ಕರ್ತರಾದ ಮೇಸ್ಟರ್ ರಾಸ್ ಪೋರ್ಟರ್ ಸಾಹೇಬರೊಡನೆ ಸೇರಿ ಯುಕ್ತವಾಗಿಯೂ ನಿಗೇವಾನಿಯಿಂದಲೂ ನೋಡಿಕೊಳ್ಳುತ್ತಾ ಬರಬೇಕೆಂದು ತಿಳಿಸುವಂತೆಯೂ, ಆಫಿಷಿಯೇಟಿಂಗ್ ಕಮ್ಮಿಷನರವರು ನನಗೆ ಆಜ್ಞಾಪಿಸಿ ಕೊಟ್ಟಿರುತ್ತಾರೆ.

೨. ಮಲನಾಡ್ ಸೀಮೆಯ ಮುಕ್ತವಾದ ಜಾಗಾಗಳಲ್ಲಿ ಅಜಮಾಯಿಷಿಯ ಬಗ್ಗೆ ಜಿಜ್ಞಾ ವೊಂದು ತೋಟವನ್ನು ಕಲ್ಪಿಸುವದರಿಂದ ಪ್ರಯೋಜನ ವೊಂ ಆಗುವದೆಂದು ನೀವು ಆಲೋಚಿಸಿದ್ದನ್ನು ಆಫಿಷಿಯೇಟಿಂಗ್ ಕಮ್ಮಿಷನರವರು ಸಮ್ಮತಿಸುತ್ತಾರೆ ಈ ತೋಟಗಳು ಸಾಧಾರಣವಾಗಿ ಮುಲ್ಕಿ ವುದ್ಯೋಗಸ್ತರ ಅಧಿಕಾರದಲ್ಲಿಡಬಹುದು. ಯಾತಕ್ಕಂತೆ, ಫಾರೆಸ್ಟ್ ಯಿಲಾಖೆಯ ಲವಾಜಮೆ ಸ್ವಲ್ಪವಾಗಿರುವದರಿಂದ ಚನ್ನಾಗಿ ಕೆಲಸವನ್ನು ನಿರ್ವಹಿಸಲಾರರು. ಆದರೆ ಪಳ್ಳೀಸ್ಥಳದಲ್ಲಿ ವಾಸ ಮಾಡುವವರಾಗಿಯೂ, ಜಾಗ್ರತೆಯಿಂದ ಗಿಡಗಳನ್ನು ಕಾಪಾಡುವದಕ್ಕೆ ಮನಸ್ಸುಳ್ಳವರಾಗಿಯೂ, ಯಿರುವ ಯಾ ಸೀಮೆಯ ಯಾ ನೇಟಿವ್ ಕಾಫೀ ಪೈರುದಾರ್ರಿಗೆ ಸಸಿಗಳನ್ನು ಬಟವಾಡೇ ಮಾಡತಕ್ಕ ಬಗ್ಗೆ ಸಮುದಾಯವನ್ನು ನೋಡಬೇಕು.

೩. ನೀವು ತಿಳಿಸಿದ ಪ್ರಕಾರ ನೀಲಗಿರೀ ತೋಟದಿಂದ ಇನ್ನೂ ಕೆಲವು ಸಿಂಕೋನಾ ಗಿಡಗಳನ್ನು ಕಳುಹಿಸುವಂತೆ ಮದರಾಸ್ ಗವರ್ನಮೆಂಟಿಗೆ ಬರದು ಕಳ್ಳಲ್ಪಡುವದು.

(Signed) T. G. CLARKE,
*Offg. Secretary.*

MYSORE GOVERNMENT PRESS, BANGALORE—1867.